Stage 5 PROMPT sheet

5/1 Place value in numbers to 1million

The position of the digit gives its size

Millions	Hundred thousands	Ten thousands	thousands	hundreds	tens	units
1	2	3	4	5	6	7

Example
The value of the digit '1' is 1 000 000
The value of the digit '2' is 200 000
The value of the digit '3' is 30 000
The value of the digit '4' is 4000

5/2 Round numbers to nearest 10, 100, 1000, 10000, 100000

Example 1- Round 342 679 to the nearest 10 000

- Step 1 – Find the 'round-off digit' - 4
- Step 2 – Look one digit to the right of 4 - 2

5 or more? NO – leave 'round off digit' unchanged
- Replace following digits with zeros

ANSWER – 340 000

Example 2- Round 453 679 to the nearest 100 000

- Step 1 – Find the 'round-off digit' - 4
- Step 2 – Look one digit to the right - 5

5 or more? YES – add one to 'round off digit'
- Replace following digits with zeros

ANSWER – 500 000

5/3 Negative numbers

A number line is very useful for negative numbers.

- The number line below shows:

4 - 7 = -3



- The number line below shows:

-2 + 6 = 4



5/4 Roman Numerals

The seven main symbols

I = 1
V = 5
X = 10
L = 50
C = 100
D = 500
M = 1000

Other useful ones include:
IV = 4
IX = 9
XL = 40
XC = 90

5/5 Written methods for addition

- Line up the digits in the correct columns
- Start from RIGHT to LEFT

e.g. 48 + 284 + 9

H	T	U
	4	8
2	8	4
1	2	9 +
3	4	1

5/5 Written methods for subtraction

- Line up the digits in the correct columns
- Start from RIGHT to LEFT

e.g. 645 - 427

H	T	U
6	$^{3}\not{4}$	$^{1}5$
4	2	7 -
2	1	8

5/6 Mental methods for addition

- **Start from LEFT to RIGHT**

Example 1 – think of:

45 + **3**2 as **45** + **3**0 + 2

- But in your head say:

45 75 77

Example 2 – think of:

1236 + **4**15 as **1236** + **400** + **10** + 5

- But in your head say:

1236 1636 1646 1651

5/6 Mental methods for subtraction

Example 1 – think of:

56 – **3**2 as **56** – **30** – 2

- But in your head say:

56 26 24

Example 2 – think of:

1236 - **4**15 as **1236** - **400** - **10** - 5

- But in your head say:

1236 836 826 821

5/7 Multi-step problems

Based upon 5/6.

Words associated with addition:

Words associated with subtraction:



5/8 Multiples & factors

- **FACTORS** are what divides exactly into a number

e.g. Factors of 12 are:

1	12
2	6
3	4

Factors of 18 are:

1	18
2	9
3	6

The common factors of 12 & 18 are: 1, 2, 3, 6,
The Highest Common Factor is: 6

- **MULTIPLES** are the times table answers

e.g. Multiples of 5 are:
5 10 15 **20** 25 .....

Multiples of 4 are:
4 8 12 16 **20** .....

The Lowest Common Multiple of 5 and 4 is: **20**

5/9 Prime numbers

Prime numbers have only TWO factors

The factors of 12 are:
1, 2, 3, 4, 6, 12

12 is NOT prime
It is composite

Factors of 7 are:
1, 7

7 IS prime

Prime numbers to 20

1	**2**	**3**	4	**5**
6	**7**	8	9	10
11	12	**13**	14	15
16	**17**	18	**19**	20

The number '1' is NOT prime



5/10 Multiplication using a formal method

- **By a ONE-DIGIT number**

e.g. 3561 x 7 **COLUMN METHOD**

```
  3561
   7x
 24927
  3 4
```

e.g. 3561 x 7 **GRID METHOD**

	3000	500	60	7
7	21000	3500	420	49

21000 + 3500 + 420 + 49 = 24927

- **By a TWO-DIGIT number**

e.g. 152 x 34 **COLUMN METHOD**

```
  152
  34x
  608   (x4)
 4560   (x30)
 5168
```

e.g. 152 x 34 **GRID METHOD**

	100	50	2
30	3000	1500	60
4	400	200	8

152 x 34 = 3400 + 1700 + 68 = **5168**

5/10 Division using a formal method

- **By a ONE-DIGIT number**

e.g. 9138 ÷ 6

```
   1 5 2 6
6 )9³1¹3¹8
```

- **By a TWO-DIGIT number**

e.g. 4928 ÷ 32 **SAME METHOD**

(Except write down some of your tables down first)

32
64
96
128
160

```
    0 1  5  4
32 )4⁴9¹⁷2 ¹²8
```

4928 ÷ 32 = **154**

e.g. 4928 ÷ 32 **ALTERNATE METHOD**

- Divide
- Multiply
- Subtract
- Bring down - Make a new number
- Divide …

```
   0 1 5 4
32 4 9 2 8
  -3 2 ↓
   1 7 2
  -1 6 0 ↓
     1 2 8
    -1 2 8
     0 0 0
```

4928 ÷ 32 = **154**

5/11 Multiply & divide by 10, 100, 1000

- **By moving the decimal point**

To **multiply** by 10 move the dp ONE place RIGHT

e.g. 13 X 10 = 130

3.4 x 10 = 34

To **divide** by 10 move the dp ONE place LEFT

e.g. 13 ÷ 10 = 1.3

3.4 ÷ 10 = 0.34

- **By moving the digits**

To multiply by 10 move the digits ONE place LEFT

e.g. 3.52 x 10

= 35.2

To multiply or divide by 100 move TWO places
To multiply or divide by 1000 move THREE places

5/12 Square & Cube numbers

Square numbers



Cube numbers



5/13 Fractions

- To compare fractions
  - the denominators must be the same

$\frac{2}{3}$ and $\frac{5}{6}$ →

$\frac{4}{6}$ and $\frac{5}{6}$ →

SO $\frac{5}{6}$ is bigger than $\frac{2}{3}$

- To add and subtract fractions

When the denominators are the same

$\frac{5}{8} + \frac{1}{8} = \frac{6}{8}$ Do not add the denominators

$\frac{5}{8} - \frac{1}{8} = \frac{4}{8}$ Do not subtract the denominators

5/13 To add subtract fractions (cont)

When the denominators are different

$\frac{3}{8} + \frac{1}{4}^{(\times 2)}$

$\downarrow$

$\frac{3}{8} + \frac{2}{8} = \frac{5}{8}$

Multiply to make the denominators the same

5/14 Equivalent fractions

These fractions are the same but can be drawn and written in different ways



$\frac{3}{4} = \frac{12}{16}$

$\frac{3}{4}^{(\times 4)} = \frac{12}{16}$

Fractions can also be divided to make the fraction look simpler – this is called CANCELLING or LOWEST FORM

$\frac{12}{16}^{(\div 4)} = \frac{3}{4}$

5/15 Mixed & improper fractions

- **An improper fraction is top heavy & can be changed into a mixed number**

$\frac{3}{2}$ can be shown in a diagram



$\frac{3}{2} = 1\frac{1}{2}$

Improper fraction | Mixed number

- **A mixed number can be changed back into an improper fraction**

$1\frac{1}{2} = \frac{3}{2}$

$2\frac{3}{4} = \frac{11}{4}$

5/16 Multiply fractions

Multiply is the same as repeated addition



$\frac{3}{4} + \frac{3}{4} + \frac{3}{4}$

$\frac{3}{4} \times 3 = \frac{3}{4} + \frac{3}{4} + \frac{3}{4} = \frac{9}{4} = 2\frac{1}{4}$

OR

$\frac{3}{4} \times \frac{3}{1} = \frac{9}{4} = 2\frac{1}{4}$

5/17 Round decimals

Rules for rounding

1. **Find the 'round off' digit**
2. **Move one digit to its right**
3. **Is this digit 5 or more**
   Yes – add one to the round off digit
   No – don't change the round off digit

- **To the nearest whole number**

e.g. 1 – To round 5.62 to the nearest whole

5.62 rounded to nearest whole = 6

e.g. 2 – To round 5.32 to the nearest whole

5.32 rounded to nearest whole = 5

- **To one decimal place**

e.g. 1 – To round 12.37 to 1 decimal place



12.37 rounded to 1dp = 12.4

e.g. 2 – To round 12.32 to the nearest whole

12.37 rounded to 1dp = 12.3

5/18 Read & write decimals

The value of each digit is shown in the table

hundreds	tens	units	•	tenths	hundredths	thousandths
3	5	2	•	6	1	7
300	50	2		$\frac{6}{10}$	$\frac{1}{100}$	$\frac{7}{1000}$
352				$\frac{61}{100}$		$\frac{7}{1000}$
352				$\frac{617}{1000}$		

5/18 Order decimals

Example – To order 0.28, 0.3, 0.216

- Write them under each other
- **Fill gaps with zeros**
- Then order them
-

0.28 ⟶ 0.280
0.3 ⟶ 0.300
0.216 ⟶ 0.216

smallest largest
Order: 0.216 0.28 0.3

5/19 Decimal & Percentage equivalents

Learn

Fraction	Decimal	Percentage
$\frac{1}{2}$	0.5	50%
$\frac{1}{4}$	0.25	25%
$\frac{1}{5}$	0.2	20%
$\frac{1}{10}$	0.1	10%
$\frac{1}{100}$	0.01	1%

Some fractions have to be changed to be 'out of 100'

$\frac{11}{25}\ ^{(x4)}_{(x4)} = \frac{44}{100} = 0.44 = 44\%$

5/20 Convert metric measure

- **Length**



- **Mass or weight**



- **Capacity or volume**



5/20 Imperial measure

- 1 inch is about 2.5cm



- 1km = 1.6 miles or 5miles = 8km
- 1kg is about 2.2pounds

- A litres of water's a pint and three quarters

- A gallon is about 4.5 litres

5/21 Area & Perimeter

- **Estimate area**



Number of whole squares (●) = 16
Number of ½ or more (×) = 5
Estimated area = 21 squares

- **Shapes composed of rectangles**

Put on all missing lengths first
For perimeter – ADD all lengths round outside
For area - split into rectangles & add them together



Perimeter = 12 + 6 + 4 + 2 + 8 + 4 = 36cm



Area of shape = Area of A + B
= (8x4) + (6x4)
= 32 + 24
= 56cm^2

5/22 Volume

Volume is measured in cubes

The 1 cm cube



The volume of this cube is 1 cm^3
(1 cubic centimetre)
It holds 1ml of water



This cuboid contains 12 cubes
So the volume is 12 cm^3



This 3D shape contains 12 cubes
So the volume is 12 cm^3

5/23 Units of time

- **Time conversion**



- **Time intervals**

Always go to the next whole hour first

Example: 0830 to 1125



5/24 2D representations of 3D shapes

- There are 3 views:



5/25 Angles

- **Types of angles**

Acute
(less than 90^0)



Obtuse
(Between 90^0 & 180^0)



Reflex
(Between 180^0 & 360^0)



- **Measure and draw angles**



To be sure, count the number of degrees between the two arms of the angle

5/26 Angles



Angles on a straight line add up to 180^0
or 2 right angles (2×90^0)



Angles about a point add up to 360^0
or 4 right angles (4×90^0)

5/27 Properties of the rectangle

- A rectangle is a quadrilateral (4 sided shape)
- All angles are 90^0

- Opposite sides are equal



- Opposite sides are parallel



- Diagonals are equal



- Diagonals bisect each other (cut in half)



- **A square is a special rectangle**

5/28 Reflection

- **Reflection in a vertical line**



- **Reflection in a horizontal line**



5/28 Translation – 4 right & 1 down



- In reflection and translation the shapes remain the same size and shape – CONGRUENT
- In reflection the shape is flipped over
- In translation the shape stays the same way up

5/29 Line graphs

- **Find the difference**

Example 1 : What was the difference in temperature between 1030 and 1130?
Answer: $11.5^0C - 10^0C = 1.5^0C$



- **Find the sum of the data**

Example: What was the total number of days absent over the 6 years?
Answer: 3 + 4 + 7 + 7 + 9 + 2 = 32 days



5/30 Interpret information in tables

- **Distance table**

Example: Find the distance between **Leeds** and **York**
Answer: 40miles

Hull				
100	Leeds			
162	73	Manchester		
110	60	65	Sheffield	
63	40	118	95	York

- **Timetable**

Example: How long is the film?
Answer: 1.10 – 2.35 = 1h 25min = 85min

6.30am	Educational programme
7.00	Cartoons
7.25	News and weather
8.00	Wildlife programme
9.00	Children's programme
11.30	Music programme
12.30pm	Sports programme
1.00	News and weather
1.10 - 2.35pm	Film

- **Table of results of goals scored**

Example: Did boys or girls score the most goals?
Answer: Boys: 6+3+3+6=18
Girls: 7+5=12
Boys scored the most goals

	Game 1	Game 2	Game 3	Game 4	Game 5	Frequency
Peter	1	0	0	2	3	6
John	0	2	1	0	0	3
Ryan	1	0	1	1	0	3
Claire	2	0	2	1	2	7
Bill	3	1	1	0	1	6
Susan	0	1	3	1	0	5